

HP COLOR LASERJET PROFESSIONAL CP5220 PRINTER SERIES CP5225 • CP5225n • CP5225dn

Gain control of your printed documents and make an impact when communicating. One versatile printer covers all your printing needs from general office to oversize documents.

- Get affordable, brilliant A3 printing in your own office.
- Count on easy-to-use, easy-to-manage technology.
- Reduce your environmental impact with features that help you save energy and paper.



Affordable A3 printing

Now you can handle all your business printing and A3 output in your own office using a single printer. Print everyday business documents and marketing materials as well as wide-format projects at an affordable price—often less than printing at a copy shop.

Easily print on different types of paper—plain, premium, and glossy—with adjustable paper trays. The printer supports sizes from 3 by 5 in up to 12 by 18 in and weights up to 220 g/m². The 100-sheet multipurpose tray and 250-sheet input tray offer flexibility. Add the optional 500-sheet tray for a maximum input capacity of up to 850 sheets.

Use the HP Print Cost Estimator—available in the included HP Print View Software—to compare the cost of printing internally versus at a copy shop.¹

High-quality output on a range of documents

HP Color LaserJets help you make an impact by putting your business in the best light. Confidently print spreadsheets, line drawings, marketing materials, client presentations, and more. Using in-line printer architecture, four colors are aligned and applied in a single pass for reliable, accurate print quality.

HP ImageREt 3600 is image resolution technology that creates smooth colors, sharp images, and crisp text. Original HP cartridges with HP ColorSphere toner deliver consistent, print shop-quality results on a range of papers designed for professional office printing. Enjoy superior print quality at speeds of up to 20 ppm and a black-and-white first page out in as fast as 14.5 seconds, letter (as fast as 16 seconds, A4). Instant-on Technology provides a warm-up time from low-power mode that's up to 50% faster compared to competitive models. In fact, your print job may be finished before many printers have started printing.²

Easy to use, share, and maintain

The printer's control panel is intuitive and instructive. Networked models are easy to share, and it's a snap to replace and order supplies.

Access the technology, services, solutions, and support you need to manage and grow your business with HP Total Care.

ecohighlights

HP Color LaserJet Professional CP5220 Printer series

ECO INFORMATION

- Save energy with HP Auto-Off Technology—intelligence that can turn your printer off when you don't need it³
- Reduce paper use by up to 50% using automatic two-sided printing (CP5225dn model only)
- Free, convenient cartridge recycling in over 47 countries



ENERGY STAR® Qualified Product (CP5225dn model only)

www.hp.com/ecosolutions

Please recycle your computing hardware and printing supplies. HP asset management and recycling services make responsible disposal easy.

¹ Not all country currencies are supported. Download HP Print View Software from the HP Web site for free via a link on the installation CD. ² Based on third-party testing from Quality Logic, commissioned by HP. See full reports at <u>www.qualitylogic.com/Contents/Library/Test-Reports/HP-Instant-On-Performance-Reports</u>.

³ HP Auto-Off capabilities subject to settings and product.

HP COLOR LASERJET PROFESSIONAL CP5220 PRINTER SERIES

- 1 250-sheet top output bin
- 2 One-door access to the easy-to-install print cartridges
- 3 250-sheet input tray 2 with close-assist
- 4 Intuitive control panel with two-line LCD display
- 5 100-sheet multipurpose tray with long paper extension handles a variety of special papers
- 6 Illuminated front-access On/Off switch
- 7 192 MB memory expandable to 448 MB, and a 540 MHz processor
- 8 Built-in Fast Ethernet 10/100 Base-T networking with IPv4/IPv6 allows up to 15 users to easily share the printer
- 9 Hi-Speed USB 2.0 port for direct connection to printer
- 10 In-line (one-pass) print engine ensures reliable, accurate print quality
- 11 Built-in automatic two-sided printing







Right side view

Series at a glance			-
	CP5225 Printer	CP5225n Printer	CP5225dn Printer
Part number	CE710A	CE711A	CE712A
100-sheet multipurpose tray 1, 250-sheet tray 2	\checkmark	\checkmark	\checkmark
500-sheet tray 3	Optional	Optional	Optional
Networking	Optional	Built-in	Built-in
Two-sided printing	Manual	Manual	Automatic
Memory	192 MB (expandable up to 448 MB)	192 MB (expandable up to 448 MB)	192 MB (expandable up to 448 MB)
ENERGY STAR qualified			\checkmark

HP Color LaserJet Professional CP5225dn Printer shown

Powerful management tools

HP Easy Printer Care Software is a simple device management tool that allows you to easily monitor device and supplies status and order supplies. Intelligent technology built into Original HP print cartridges is used by HP Easy Printer Care Software to provide a host of time-saving supplies management features.

Access printer features and status reports for this printer and others through the HP Universal Print Driver.

The printer also includes HP ToolboxFX, a program you can use to check device and supplies status, set up alerts, view product usage reports, and gain access to troubleshooting and maintenance tools.

Helps reduce environmental impact

Take the guesswork out of saving energy. HP Auto-Off Technology senses when you don't need to print and turns off automatically.⁴ Greatly reduce paper usage with automatic two-sided printing up to 160 q/m^2 (CP5225dn model only). HP Smart Web Printing reduces wasted paper by automatically fixing right-edge clipping when printing web pages.

HP Print View Software helps you reduce supplies and paper waste by demonstrating how to insert paper correctly for two-sided prints, showing you how jobs will look before they print, and helping you print only the auantities you need. Download this free software from the HP Web site via a link on the installation CD.

Enjoy easy recycling—cartridges returned via HP Planet Partners are recycled responsibly.⁵

Get the most out of your printer with HP accessories, supplies, and services.

500-sheet Paper Tray

Improve productivity by increasing total input capacity to up to 850 sheets. Print on a range of paper types in sizes from 5.8 by 8.3 in (148 by 210 mm) to 11.7 by 17 in (297 by 432 mm). Gain media flexibility while decreasing time spent loading paper.



CE860A

HP Services

Because downtime can have serious business consequences, HP provides high-quality services that extend beyond the standard warranty and help you avoid unbudgeted repair costs. Benefits include reduced printing and infrastructure costs, maximized uptime, expert technical phone support, and predictable, consistent service deliveryeven across multiple locations.

Recommended services:

- Same Day Onsite Service: A HP technician or authorized service provider arrives at your site within four hours after the service call is received, if this time falls within the coverage window
- Next Day Onsite Service: Technician delivered onsite service the next business day after the service call is received

These services and additional coverage options can be purchased as:

- HP Care Pack Services: easy-to-buy, easy-to-use support packages
- HP Contractual Services: a comprehensive portfolio for maintaining maximum IT availability

For more information visit: www.hp.com/go/printservices.

e h 6	
Supplies ⁶	
HP Color LaserJet Black Print Cartridge (~7,000 pages)	CE740A
HP Color LaserJet Cyan Print Cartridge (~7,300 pages)	CE741A
HP Color LaserJet Yellow Print Cartridge (~7,300 pages)	CE742A
HP Color LaserJet Magenta Print Cartridge (~7,300 pages)	CE743A
Paper handling	
500-sheet Paper Tray	CE860A
Memory	
HP 64 MB DDR2 144-pin SDRAM DIMM	CB421A
HP 128 MB DDR2 144-pin SDRAM DIMM	CB422A
HP 256 MB DDR2 144-pin SDRAM DIMM	CB423A
Connectivity	
USB Cable (a-b) 2 meter	C6518A
HP Jetdirect ew2500 802.11b/g Wireless Print Server	J8021A
(For more information, visit <u>www.hp.com/go/jetdirect</u>)	
Service and support	
HP 3-year, Next Business Day Hardware Support	UQ504E
HP 3-year, 4-hour, 13x5 Hardware Support	UQ497E
HP 1-year Post-warranty, Next Business Day Hardware Support	UQ498PE
HP 1-year Post-warranty, 4-hour, 13x5 Hardware Support	UQ492PE
HP Install Service	H4515E
(For more HP Care Pack options, visit	
www.hp.com/services/printer)	
Paper	
North America: <u>www.hp.com/qo/paper</u>	
Europe: www.hp.com/go/learnaboutsupplies	
Asia Pacific: www.hp.com/apac/printingsupplies	
Latin America: contact HP via phone:	
USA: 1-800-477-5010, Europe: +800 7644 7644,	

Asia: 65-6253-8500 Australia/New Zealand: 61-2997-2299LAR, Brasil: sac 0800 70 300 70

Solutions

www.hp.com/qo/qsc

⁴ HP Auto-Off capabilities subject to settings and product.

⁵ Available in select countries.

⁶ Declared yield value in accordance with ISO/IEC 19752. Actual yields vary considerably based on images printed and other factors. For more information, visit www.hp.com/qo/learnaboutsupplies.

HP COLOR LASERJET PROFESSIONAL CP5220 PRINTER SERIES

Technical specifications	HP Color LaserJet Professional CP5225 Printer I (CE710A)		ssional CP5225n Printer 11A)	HP Color LaserJet Professional CP5225dn Printer (CE712A)		
Print speed ⁷		Up to 20 ppm letter/A4	and black-and-white/color			
First page out ⁷	Black-and-white: as fast as 14.5 seconds le			seconds letter (as fast as 17 seconds A4)		
Print resolution	Black-and-white: as fast as 14.5 seconds, letter (as fast as 16 seconds, A4); Color: as fast as 15.5 seconds, letter (as fast as 17 seconds, A4) HP ImageREt 3600; Up to 600 x 600 dpi					
	Olizza 14 sharantar harabitatiradara 5 bat			2 IED indicates lights (Attesting Deads)		
Control panel	2-line, 16-character backlit display; 5 but			; 2 LED Indicator lights (Attention, Reddy)		
Processor			MHz			
Memory			B via one open DDR2 DIMA			
Durability ratings	Recommended month	ily page volume: 1,500 to	5,000 pages; ⁸ Duty cycle: u	up to 75,000 pages ⁹		
Paper						
Input	100-sheet	multipurpose tray 1, 250-s	heet tray 2; optional 500-sh	eet tray 3		
Output		250-sheet face	down output bin	,		
Two-sided printing	Manu		1	Automatic		
Sizes	Tray 1: A3, A4, A5, A6, RA3, SRA3, B4, B5, 8k, 16		legal, executive, 11x17, 12x18, 4x6, 5x8, 8.5x13;			
	envelopes (DL, C5, B5, No. 10, Monarch); custom: 76 x 127 mm (3 x 5 in) to 320 x 457 mm (12.6 x 18 in) Tray 2: A3, A4, A5, B4, B5, 8k, 16k, double postcard; letter, legal, executive, 11x17, 8.5x13; custom: 148 x 182 mm (5.8 x 7.2 in) to 297 x 432 Optional tray 3: A3, A4, B4, B5, 8k, 16k, double postcard; letter, legal, executive, 11x17, 8.5x13; custom: 148 x 210 mm (5.8 x 8. to 297 x 432 mm (11.7 x 17 in)					
	Automatic two-sided printing: A3, A4, A5, SRA3, B4, B5; letter, legal, executive, 11x17, 12x18					
Weights	Tray 1: 60 to 220 q/m^2 (16 to 58 lb bond)					
() (ignis	Tray 2, automatic two-sided printing unit, optional tray 3: up to 120 g/m ² (up to 32 lb) plain papers, up to 160 g/m ² (up to 43 lb) coated papers					
Types	Paper (bond, brochure, colored, glossy, letterhead, pho					
Connectivity	ruper (bond, biochbre, colored, glossy, leitemedd, pho	sio, pidin, prepinied, prep	inched, recycled, rough), c	didalock, glossy min, irdisparencies, iddeis, envelopes		
Interfaces	1 Hi-Speed USB 2.0	1.11:5	and USB 2.0 built in Fast I	The second 10/100 Berry Transformed as an		
				Thernet 10/100 Base-T network port		
Languages	HP PCL 6; HP PCL 5c; HP postscript level 3 emulation					
Fonts			TrueType fonts			
Client operating systems	Standard: Windows® 2000, Windows XP® Home, Windows XP Professional, Windows Server 2003, Windows Vista®, Windows XP Media Center, Windows XP Professional x64, Windows 7 (HP UPD only); Mac OS X v 10.3, Mac OS X v 10.4 or higher; Linux (see <u>www.hplip.net</u>); Optional: OS/2, UNIX, Linux					
Network operating systems		Windows 2000, Windo	ows XP Home, Windows XP	Professional, Windows Server 2003, Windows Vista, al x64, Windows 7 (HP UPD only); Mac OS X v 10.3,		
Network protocols			Mac OS X v 10.4 or high	er; Linux (see <u>www.hplip.net</u>)		
Network protocols	Via built-in networking solution: TCP/IP, IPv4, IPv6; print: TCP-IP port 9100 Direct Mode, LPD (raw queue support only), Web Services Printing; discovery: SLP, Bonjour, Web Services Discovery; IP Config: IPv4 (BootP, DHCP, AutoIP, Manual), IPv6 (Stateless Link-Local and via Router, Statefull via DHCPv6); management: SNMPv1, HTTP					
Security	Password-protected network embedded Web server; enable/disable Network ports; SNMPv1 community password change					
Dimensions (width x depth x height)	Without trays and covers extended: 545 x 599 x 338	3 mm (21.5 x 23.6 x 13.3	in); With trays and covers e	xtended: 862 x 1066 x 370 mm (34 x 42 x 14.6 in)		
Weight (with print cartridge)	/		(90.2 lb)			
What's in the box	Printer power cord Getting Started Guide CD with soft			ages) and cyan, magenta, and yellow (~7,300 pages) ¹⁰		
	HP Color LaserJet print cartri	dges with HP ColorSphere	toner, 100-sheet multipurpo	se tray, 250-sheet input tray		
Also includes			/100 Base-T networking	Built-in Fast Ethernet 10/100 Base-T networking; built-in automatic two-sided printing		
Software included	Print driver (HP PCL 6); Toolbox FX configuration utility; SNP alerts; and installation software on CD-ROM (Latest printer driver information available at www.hp.com/support)					
Warranty	One-year limited, r	next-day onsite warranty; 2	24-hour support; 7 days a w	eek phone support		
Environmental ranges		Typical Electricity	Consumption (TEC): 1.787	kWh/Week		
Temperature range	Operating: 10 to 30° C (50 to 86° F) Recommended: 15 to 27° C (59 to 80.6° F)	Safety approvals		al); EN 60950-1+A11 (EU); IEC 60825-1+A1+A2; NRTL		
Humidity range	Storage: 0 to 35° C (32 to 95° F) Operating: 10 to 80% RH Recommended: 20 to 60% RH Non-operating: 10 to 90% RH	and requirements	Laser/LED Device) GB49	License (Europe); EN 60825-1+A1+A2 (Class 1 43-2001; Low Voltage Directive 2006/95/EC with CE safety approvals as required by individual countries		
Acoustic power emissions ¹¹	Printing: 6.3 B(A); Ready: 5.3 B(A)	Electromagnetic	CISPR 22: 2005/EN 550	022: 2006 Class B, EN 61000-3-2: 2006, EN 61000-3-		
Acoustic pressure emissions Power specifications	49 dB(A)	emission standard	3: 1995+A1+A2, EN 55	i024: 1998+A1+A2, FCC Title 47 CFR, Part 15 Class A , (Canada), GB9254-1998, EMC Directive		
Power supply required	Input voltage: 115 to 127 VAC (+/- 10%), 60 Hz (+/- 2 12 A; 220 to 240 VAC (+/- 10%), 50 Hz (+/- 2 Hz), 6 /			Marking (Europe), other EMC approvals as required by		
Power consumption ¹²	Active: 440 watts; Standby: 30 watts; Works with HP SureSupply. ¹³ To learn more, visit <u>www.hp.com/qo/SureSupply</u>					

⁷ Exact speed varies depending on the system configuration, software application, driver, and document complexity.

PowerSave: 4.4 watts: Off: 0.5 watts

⁸ HP recommends that the number of printed pages per month be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period.

⁹ Duty cycle is defined as the maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP LaserJet or HP Color LaserJet devices, and enables appropriate deployment of printers and MFPs.

¹⁰ Declared yield value in accordance with ISO/IEC 19752. Actual yields vary considerably based on images printed and other factors. For more information, visit <u>www.hp.com/go/learnaboutsupplies</u>.
¹¹ Configuration tested: base model, simplex printing, A4 paper at an average of 20 ppm. Values are subject to change. For current information see <u>www.hp.com/support</u>.

¹² Values subject to change. See www.hp.com/support for current information. Power numbers are the highest values measured using all standard voltages.

¹³ HP SureSupply alerts you when your print cartridge is running low and helps you purchase online or locally through HP or a participating retailer. Only available with Original HP supplies; Internet access required. To learn more, visit www.hp.com/go/SureSupply.



ENERGY STAR and the ENERGY STAR mark are registered U.S. marks. Microsoft, Windows, and Windows XP are registered trademarks of Microsoft Corporation. Windows Vista is either a registered trademark or trademark of Microsoft Corporation in the United States and/or other countries. Linux is a U.S. registered trademark of Linus Torvalds. UNIX is a registered trademark of The Open Group.

© Copyright 2009 Hewlett-Packard Development Company, L.P.

The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.



To learn more, visit <u>www.hp.com</u>